



SAFETY DATA SHEET

Safety data sheet according to (EC) No. 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier:

Linseed oil paint Indoor – Category 1

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Paint for indoor use on buildings etc. Applied with brush, roller etc.

1.3. Details of the supplier of the safety data sheet:

Linolie & Pigment

Øsbygade 46

Phone: 7575 2382

DK-6100 Haderslev

Responsible person for the safety data sheet (e-mail): info@linolie.dk

1.4. Emergency telephone number:

NHS (England or Wales): Dial 111 or 0845 4647 NHS 24 (Scotland): Dial 111

National Poisons Information Centre (Ireland): +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week).

Healthcare Professionals: +353 (1) 809 2566 (24-hour service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture:

CLP (1272/2008): None

2.2. Label elements:

None.

2.2. Other hazards:

Rags soaked with the product may cause spontaneous combustion.

PBT/vPvB: No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

Endocrine disrupting properties: The substances are not identified as having endocrine disrupting properties in accordance with the criteria set out in Regulation 2017/2100 or Regulation 2018/605.

SECTION 3: Composition/information on ingredients

3.2. Mixtures: Mixture based on linseed oil.

% w/w	Substance name	CAS-no.	EC-no.	Index-no.	REACH reg.-no.	Classification	Note
50-<75	Triiron tetraoxide	1317-61-9	215-277-5	-	01-2119457646-28	None	1,2
50-<60	Graphite	7782-42-5	231-955-3	-	01-2119486977-12	None	1,2
15-<60	Diiron trioxide	1309-37-1	215-168-2	-	01-2119457614-35	None	1,2

1) The substance has an occupational exposure limit.

2) In some colours.

Wording of hazard statements - see section 16.

SECTION 4: First-aid measures

4.1. Description of first aid measures:

Inhalation: Move the affected person to fresh air. Keep at rest. If symptoms persist: Seek medical advice.

Skin contact: Remove all contaminated clothing. Wash skin with water and mild soap.

Eye contact: Flush with water or physiological salt water, holding eyelids open; remember to remove contact lenses, if any. If irritation persist: Seek medical advice.

Ingestion: Rinse mouth and drink plenty of water. **Do not induce vomiting.** If vomiting occurs keep head down to avoid vomit in the lungs. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed:

May cause slight irritation of skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed:

Show this safety data sheet to a physician or emergency ward.



SECTION 5: Firefighting measures

5.1. Extinguishing media:

Use carbon dioxide, dry chemical or foam.

5.2. Special hazards arising from the substance or mixture:

Do not inhale smoke fumes. In case of fire, the substance may form hazardous decomposition products: Primarily oxides of carbon.

5.3. Advice for firefighters:

Wear self-contained breathing apparatus when generation of smoke is vigorous.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures:

Use gloves of rubber when spill is wiped up – see section 8. Avoid further spreading. Ventilate area of spill.

6.2. Environmental precautions:

Do not empty into drains – see section 12. Inform appropriate authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up:

Take up with absorbent material (e.g. general-purpose binder) and place in marked container for disposal.

All contaminated rags, paper etc. may be subject to spontaneous combustion under certain conditions. Place all contaminated material in a metal container, which contains water, with a tight-fitting lid. Remove from premises immediately.

Clean with water. Dispose of in accordance with local regulations or burn under controlled conditions.

Further handling of spillage - see section 13.

6.4. Reference to other sections:

See references above.

SECTION 7: Handling and storage

7.1. Precautions for safe handling:

Avoid contact with skin, eyes and clothing. Provide sufficient ventilation. Wash contaminated skin immediately with water and mild soap. Contaminated clothes or absorbent material is kept under water until disposal or cleaning. Moisturisers prevents drying of the skin and may be used with great advantage after work.

7.2. Conditions for safe storage, including any incompatibilities:

Store in a tightly closed original container of metal. Keep in a dry and well-ventilated place.

7.3. Specific end use(s):

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters:

Occupational exposure limits, UK (EH40/ed.2020):

Substance	8-hour TWA	15-min STEL	Comments
Iron oxide, fume (as Fe)	5 mg/m ³	10 mg/m ³	-
Graphite (inhalable dust)	10 mg/m ³	-	-

Occupational exposure limit values, Ireland (2020):

	8-hour TWA	15-min STEL	Notes
Iron oxide, fume (as Fe)	5 mg/m ³	10 mg/m ³	-
Graphite (all forms except fibres)	2 mg/m ³	-	R

R: Respirable fraction

DNEL/PNEC: No CSR.

8.2. Exposure controls:

Appropriate engineering controls: Provide sufficient ventilation.

Personal protective equipment:

Inhalation: Normally not required when applied with brush or roller.

Skin: Wear protective gloves of nitrile rubber (> 0.3 mm) (EN 374). It has not been possible to find data for breakthrough time. In case of spill on the glove, it is recommended to change it after use.

Eyes: Wear tight fitting safety goggles (EN 166) when there is risk of splashes.

Environmental exposure controls: None particular.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties:

Physical state:	Liquid
Colour:	Different colours
Odour:	Linseed oil
Melting point/freezing point (°C):	Not determined
Boiling point or initial boiling point and boiling range (°C):	Not determined
Flammability (solid, gas):	Not relevant (liquid)
Lower and upper explosion limit (vol-%):	Not determined
Flash point (°C):	App. 220 (for pure linseed oil)
Auto-ignition temperature (°C):	Not determined
Decomposition temperature (°C):	Not determined
pH:	Not determined
Kinematic viscosity:	Not determined
Solubility:	Insoluble in water
Partition coefficient n-octanol/water (log value):	Not determined
Vapour pressure:	Not determined
Density and/or relative density:	1.3-2
Relative vapour density:	Not determined
Particle characteristics:	Not relevant
9.2. Other information:	None relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity:

No available data.

10.2. Chemical stability:

Stable under normal conditions (see section 7).

10.3. Possibility of hazardous reactions:

Warning: Combustible materials such as rags, paper or cloths soaked with the product may cause spontaneous combustion

10.4. Conditions to avoid:

Avoid excessive heating.

10.5. Incompatible materials:

May react with oxidizing materials.

10.6. Hazardous decomposition products:

In case of extensive heating, the mixture may form hazardous decomposition product such as oxides of carbon, short chain fatty acids, polymers and acrolein.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Acute toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.



SECTION 11: Toxicological information (continued)

Hazard class	Data	Test	Data source
Acute toxicity:			
Inhalation	LC ₅₀ (rat, 4h) > 2000 mg/l (Graphite)	OECD 402	ECHA
Dermal	No data.	-	-
Oral	LD ₅₀ (rat) > 15 g/kg (Linseed oil)	No data	Supplier
	LD ₅₀ (rat) > 5000 mg/kg (Graphite)	OECD 423	ECHA
	LD ₅₀ (rat) > 5000 mg/kg (Iron oxide)	No data	Supplier
Corrosion/irritation:	Moderate skin irritation, man (Linseed oil)	Draize	RTECS
	No skin/eye irritation, rabbit (Graphite)	OECD 404/405	ECHA
Sensitization:	No skin sensitisation, mouse (Graphite)	OECD 429	ECHA
CMR:	No mutagenicity – negative result (Linseed oil)	No data	TOXNET
	No effect on fertility/offspring (Linseed oil)	No data	TOXNET
	No carcinogen effects in animals (Linseed oil)	No data	TOXNET
	No mutagenic effects, in vitro (Graphite)	OECD 473	ECHA
	No reprotoxic effects, rat (Graphite)	OECD 422	ECHA

Information on likely routes of exposure: Ingestion.

Symptoms:

Inhalation: Slight irritation of the airways. Inhalation of larger amounts may induce discomfort.

Skin: May cause irritation with redness by prolonged contact with skin.

Eyes: May cause irritation with redness and pain.

Ingestion: May cause irritation of the gastrointestinal tract and discomfort, nausea and diarrhea.

Chronic effects: None known.

11.2. Information on other hazards: None known.

SECTION 12: Ecological information

12.1. Toxicity:

Aquatic	Data	Test (Media)	Data source
Fish	LC ₅₀ (Danio rerio, 96 h) > 100 mg/l (Graphite)	OECD 203 (FW)	ECHA
	LC ₅₀ (Idus dorata, 96 h) > 1000 mg/l (Iron oxide)	No data	Supplier
Daphnia	EC ₅₀ (Daphnia magna, 48 t) > 100 mg/l (Graphite)	OECD 202 (FW)	ECHA
Algae	EC ₅₀ (Pseudokirchnerella subcapitata, 72 t) > 100 mg/l (Graphite)	OECD 201 (FW)	ECHA

12.2. Persistence and degradability:

Methods are missing for determining the biodegradability for inorganic substances such as pigments.

12.3. Bioaccumulative potential:

No relevant available data.

12.4. Mobility in soil:

No relevant available data.

12.5. Results of PBT and vPvB assessment:

No ingredients are PBT/vPvB, according to the criteria in REACH Annex XIII.

12.6. Endocrine disrupting properties:

None known.

12.7. Other adverse effects:

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods:

The mixture is not considered as hazardous waste. Disposal should be according to local, state or national legislation. Dispose of through authority facilities or pass to chemical disposal company.

Waste from linseed oil paint must be immersed in water to avoid spontaneous combustion.

EWC-code:

08 01 12 (mixture itself) and 15 02 03 (Paper towel, inert material etc. contaminated with the mixture)



SECTION 14: Transport information

Not dangerous goods according to ADR/RID.

14.1. UN number or ID number: None.

14.2. UN proper shipping name: None.

14.3. Transport hazard class(es): None.

14.4. Packing group: None.

14.5. Environmental hazards: No.

14.6. Special precautions for user: None.

14.7. Maritime transport in bulk according to IMO instruments: Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

Special labelling:

VOC subcategory: A/d

VOC limit value (g/l): 300

VOC content (g/l): < 5

Danish 1993-Code no.: 00-1

15.2. Chemical safety assessment:

No CSR.

SECTION 16: Other information

Abbreviations:

CMR = Carcinogenicity, mutagenicity and reproductive toxicity.

CSR = Chemical Safety Report

DNEL = Derived No-Effect Level

EC₅₀ = Effect Concentration 50%

FW = Fresh Water

LC₅₀ = Lethal Concentration 50%

LD₅₀ = Lethal Dose 50%

PBT = Persistent, Bioaccumulative, Toxic

PNEC = Predicted No-Effect Concentration

vPvB = very Persistent, very Bioaccumulative

Literature:

ECHA = European Chemical Agency Registration dossier

RTECS = Register of Toxic Effects of Chemical Substances.

TOXNET = Toxicology Data Network via Toxline database

Training advice:

No special training is required. However, the user should be well instructed in the execution of his/her task, be familiar with this Safety Data Sheet and have normal training in the use of personal protective equipment.

Changes since the previous edition:

1, 2, 3, 8, 9, 11, 12, 13 & 14

Prepared by: Altos a/s – Tonsbakken 16-18 - 2740 Skovlunde - Phone +45 - 38 34 77 98 / PH - Quality control: PW